

OFFICIAL

RECEIVED  
CENTRAL FAX CENTER

NOV 10 2003

## NAWROCKI, ROONEY &amp; SIVERTSON, P.A.

WAYNE A. SIVERTSON  
JOHN L. ROONEY  
LAWRENCE M. NAWROCKI  
DONALD A. JACOBSON  
RICHARD C. STEMPOVSKI, JR.  
CHRISTOPHER G. FRANK

ATTORNEYS AT LAW  
PATENT TRADEMARK AND COPYRIGHT LAW  
SUITE 401, BROADWAY PLACE EAST  
3433 BROADWAY STREET NORTHEAST  
MINNEAPOLIS, MINNESOTA 55413

EDWARD L. SCHWARZ  
Of Counsel

LEW SCHWARTZ  
Retired

E-MAIL: ip@nrslaw.com  
TELEPHONE: (612) 331-1464  
FACSIMILE: (612) 331-2239  
OR (612) 379-7569

## FAX TRANSMITTAL COVER SHEET

TO : Greta Robinson

COMPANY : United States Patent and Trademark Office

FROM : Lawrence M. Nawrocki

RE : Applicant : Niels Gebauer et al.  
Serial No. : 09/189,365

DATE : November 10, 2003

FAX NUMBER : (703) 746-7238

NO. OF PAGES : 4

ENCLOSURES : Transmittal of Amended Drawing; One Sheet of Drawing

COMMENTS :

## CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this paper and the documents described herein are being facsimile transmitted  
to the United States Patent and Trademark Office

Carolyn I. Erickson

Type or print name of person signing certification

November 10, 2003

Signature

Date

PLEASE CALL Carolyn AT (612) 331-1464 IF ALL PAGES ARE NOT RECEIVED.

11/10/03 11:25

612 331 2239

N R & S LAW FIRM

RECEIVED  
CENTRAL FAX CENTER

002

NOV 10 2003  
**OFFICIAL**

P A T E N T

#24  
11/19/03  
AW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of	)	
	)	
Niels Gebauer, et al	)	Examiner G. Robinson
	)	
Serial No. 09/189,365	)	Group Art Unit 2177
	)	
Filing Date: 11/09/98	)	
	)	Docket No. 33012/253/101
	)	
For: DATA MANAGEMENT SYSTEM	)	<u>TRANSMITTAL OF AMENDED DRAWING</u>
HAVING REMOTE TERMINAL	)	
ACCESS UTILIZING	)	
SECURITY MANAGEMENT BY	)	
TABLE PROFILING	)	
(Amended)	)	

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Transmitted herewith please find another copy of the amended drawing referred to in the Amendment After Final dated July 1, 2003 and referred to in the Advisory Action dated July 16, 2003. This amended drawing was prepared in accordance with that previously filed amendment after final rejection. Apparently, the amended drawing has not yet reached the Examiner.

In her objection, the Examiner has found "an extra lead line". This finding is incorrect. The Examiner has apparently referred to a "data/control pathway" having an "arrow" to show

direction of data flow. The same error has apparently been made in support of the erroneous finding that "reference number 148 and 100 are both pointing to the Cool ICE gateway" and that "reference numbers 152 and 154 are both pointing towards the storage". Cool ICE Gateway 100 couples to storage 154 via pathway 148 (as explained in the specification at page 29, lines 9-10). Similarly, Cool ICE Service Handler 102 is coupled to storage 154 via pathway 152 (as explained in the specification at page 29, line 9).


Please charge any deficiencies or credit any over payment to Deposit Account 14-0620.

Respectfully submitted,

Niels Gebauer, et al

By their attorney,

Date November 10, 2003

  
Wayne A. Sivertson  
Reg. No. 25,645  
Suite 401  
Broadway Place East  
3433 Broadway Street N.E.  
Minneapolis, Minnesota  
55413  
(612) 331-1464